

HYPER

VENTIVENTI



Design & Made
in Italy

powered by
MARTINR&D®

Con oltre trent'anni di esperienza nel mondo delle competizioni su due ruote, abbiamo messo a punto soluzioni all'avanguardia per i nostri impianti frenanti.

Il sistema HYPER VENTIVENTI è pronto a rivoluzionare il mondo del BRAKE SOLUTION, portando le prestazioni dei freni a un livello completamente nuovo.

With over thirty years of experience in the world of two-wheel racing, we have developed cutting-edge solutions for our braking systems.

The HYPER VENTIVENTI system is set to revolutionize the world of BRAKE SOLUTION, taking brake performance to an entirely new level.

BRAKE SYSTEM REVOLUTION

- + **POTENZA FRENANTE**
- + **RAFFREDDAMENTO DI DISCHI E PASTIGLIE**
- + **MODULABILITÀ**
- **USURA COMPLESSIVA**
- = **PRESTAZIONI ELEVATE E DURATURE NEL TEMPO**

Le prestazioni eccezionali, la capacità di adattarsi alle diverse condizioni del terreno e la modularità senza precedenti offrono un'esperienza di guida senza paragoni.

Che tu sia un rider esperto o un appassionato alla ricerca di maggiore controllo e sicurezza, HYPER VENTIVENTI è la soluzione definitiva per ridefinire il concetto di frenata.



LA RIVOLUZIONE DELLA FRENATA

- + BRAKING POWER
- + COOLING OF ROTORS AND PADS
- + MODULATION
- OVERALL WEAR
- = **HIGH, LONG-LASTING PERFORMANCE**

Exceptional performance, the ability to adapt to various terrain conditions, and unprecedented modulation provide an unparalleled riding experience.

Whether you are an experienced rider or an enthusiast seeking greater control and safety, HYPER VENTIVENTI is the ultimate solution to redefine the concept of braking.

THE REVOLUTION OF BRAKING



HYPER "PLUS" MODULABILITÀ



!!! NO ON-OFF EFFECT !!!


L'approfondito studio dello shape della pista frenante, combinato con la dimensione e la mescola della pastiglia, garantisce una gestione della frenata con precisione assoluta e una modulabilità senza eguali.

Prevenendo bloccaggi, garantendo massima aderenza e riducendo il rischio di perdite di controllo anche in condizioni estreme.

HYPER "PLUS" **MODULATION**



BAGNATO
WET



CIOTTOLI
COBBLES



FONDI DURI E
SECCHI
HARD AND DRY
SURFACES



SASSI
ROTONDI
ROUND
STONES

!!! NO ON-OFF EFFECT !!!

The in-depth study of the braking surface shape, combined with the size and composition of the pad, ensures absolute precision in braking management and unparalleled modulation.

By preventing locking, guaranteeing maximum grip, and reducing the risk of loss of control even in extreme conditions

HYPER "ROTOR PLUS" TECNOLOGIA


Acciaio 420
al massimo tenore
di carbonio.

laserato
temprato

Pista della pastiglia ampliata a 20
mm, aumentando l'area di contatto
del 50% rispetto allo standard.

CATAFORESI per resistenza
estrema alla corrosione e
protezione dagli agenti esterni.

La finitura del disco con rettifica
orbitale definisce la perfetta
planarità e il design accattivante.



HYPER "ROTOR PLUS" **TECHNOLOGY**


420 steel
with the highest
carbon content

laser-
engraved
hardened

Pad surface widened to 20 mm,
increasing the contact area by 50%
compared to the standard.

CATHODIC ELECTROCOATING for
extreme corrosion resistance and
protection against external agents.

The ROTOR finishing with orbital
grinding defines perfect flatness and
an attractive design.



HYPER "ROTOR PLUS" **PRESTAZIONI E SICUREZZA**


**Modularità e potenza in tutte le condizioni.
Anche sotto stress le prestazioni restano invariate
assicurando una potenza di frenata stabile e
prevedibile.**

**Questo consente di ritardare le frenate e mantenere
velocità elevate in curva, ottimizzando la
decelerazione e aumentando sia la sicurezza che
l'efficienza in discesa.**



HYPER "ROTOR PLUS" **PERFORMANCE & SAFETY**

Performance vs Temperature




Modulation and power in all conditions. Even under stress, performance remains unchanged, ensuring stable and predictable braking power.

This allows for delayed braking and maintaining high speeds in corners, optimizing deceleration and increasing both safety and efficiency during descents.


HYPER "PADS PLUS" DIMENSIONI

SISTEMA STANDARD



- PINZA FRENANTE SHIMANO
- PASTIGLIE STANDARD
- DISCO STANDARD


SISTEMA **HYPER**



- PINZA FRENANTE SHIMANO
- PASTIGLIE **HYPER**
- DISCO **HYPER**


HYPER "PADS PLUS" **DIMENSIONS**

STANDARD SYSTEM



- SHIMANO BRAKE CALIPER
- STANDARD PADS
- STANDARD ROTOR

HYPER SYSTEM



- SHIMANO BRAKE CALIPER
- **HYPER** PADS
- **HYPER** ROTOR

HYPER "PADS PLUS" MESCOLA

LE PASTIGLIE SONO REALIZZATE
CON MATERIALI DI ALTA QUALITÀ

CARBONIO


Potenza frenante estrema in tutte le
condizioni, sia a caldo che a freddo,
con asciutto o bagnato

MESCOLA CARBON-CERAMICA

+ POTENZA
+ MODULARITÀ
- RUMORE

MATERIALE CERAMICO

per una frenata efficace fin da subito
anche a pastiglie fredde



HYPER "PADS PLUS" **COMPUND**

**THE PADS ARE MADE WITH
HIGH-QUALITY MATERIALS.**

CARBON


*Extreme braking power in all
conditions, whether hot or cold,
dry or wet.*

CARBON-CERAMIC COMPOUND

+ POWER
+ MODULATION
- NOISE

CERAMIC MATERIAL


*for effective braking right from the
start, even with cold pads.*



ROTOR / PADS

ATTENZIONE: HYPER ROTOR 203 mm è utilizzabile solamente con gli HYPER PADS

WARNING: HYPER ROTOR 203 mm can only be used with HYPER PADS.




HYPER ROTOR 203

MANUFACTURER NUMBER	02-BD-002-001
INSTALLATION	hydraulic 4-piston disc brake system
HUB INTERFACE	6 bolts
DESIGNED FOR	SHIMANO DEORE, SLX, XT SRAM GUIDE, CODE, LEVEL, MOTIVE FORMULA CURA 4 TEKTRO HD Series TRP Quadriem, SL, Slate T4, DH-R EVO
ROTOR DIAMETER	203 mm
THICKNESS	2.3 mm
AVAILABLE IN	6 bolts

ROTOR / PADS

ATTENZIONE: HYPER ROTOR 220 mm è utilizzabile solamente con gli HYPER PADS

WARNING: HYPER ROTOR 220 mm can only be used with HYPER PADS.




HYPER ROTOR 220

MANUFACTURER NUMBER	02-BD-001-001
INSTALLATION	hydraulic 4-piston disc brake system
HUB INTERFACE	6 bolts
DESIGNED FOR	SHIMANO DEORE, SLX, XT SRAM GUIDE, CODE, LEVEL, MOTIVE FORMULA CURA 4 TEKTRO HD Series TRP Quadiem, SL, Slate T4, DH-R EVO
ROTOR DIAMETER	220 mm
THICKNESS	2.3 mm
AVAILABLE IN	6 bolts

ROTOR / PADS

ATTENZIONE: HYPER ROTOR 160 mm è utilizzabile solamente con gli HYPER PADS

WARNING: HYPER ROTOR 160 mm can only be used with HYPER PADS.



HYPER ROTOR 160

MANUFACTURER NUMBER 02-BD-005-001

INSTALLATION Hydraulic 2-piston disc brake system

HUB INTERFACE 6 bolts

2-pistons:

SHIMANO Deore BR-M575, M525, M515, T615, LX BR-T675

TRP Hylex, Dash Sport

TEKTRO Auriga HD-M290/M291, HD-T525, HD-E530, HD-E525, HD-E520, HD-E500

4-pistons:

SHIMANO Deore, XT, SAINT, SLX

TEKTRO HD Series

TRP Quadiem, SL, Slate T4, DH-R EVO

DESIGNED FOR

ROTOR DIAMETER 160 mm


THICKNESS 2.1 mm

AVAILABLE IN 6 bolts

ROTOR / PADS

ATTENZIONE: HYPER ROTOR 180 mm è utilizzabile solamente con gli HYPER PADS

WARNING: HYPER ROTOR 180 mm can only be used with HYPER PADS.



HYPER ROTOR 180

MANUFACTURER NUMBER 02-BD-003-001

INSTALLATION

Hydraulic 2-piston and 4-piston disc brake system

HUB INTERFACE

6 bolts

2-pistons:

SHIMANO Deore BR-M575, M525, M515, T615, LX BR-T675

TRP Hylex, Dash Sport

TEKTRO Auriga HD-M290/M291, HD-T525, HD-E530, HD-E525, HD-E520, HD-E500

4-pistons:

SHIMANO Deore, XT, SAINT, SLX

TEKTRO HD Series

TRP Quadiem, SL, Slate T4, DH-R EVO

DESIGNED FOR

ROTOR DIAMETER

180 mm

THICKNESS

2.1 mm

AVAILABLE IN


6 bolts

SLIM

ROTOR / PADS

ATTENZIONE: HYPER PADS SONO utilizzabili solamente con gli HYPER ROTOR 203/220.

WARNING: HYPER PADS can only be used with HYPER ROTOR 203/220.



HYPER SPORT PADS

MANUFACTURER NUMBER	02-BP-001-001
INSTALLATION	hydraulic 4-piston disc brake system
COMPOUND	carbon ceramic
DESIGNED FOR	SHIMANO DEORE, SLX, XT
PADS DIMENSION	40 mm X 30 mm
THICKNESS	4 mm

AVAILABLE IN VERSIONS:

HYPER PERFORMANCE PADS

02-BP-001-002


HYPER RACING PADS

02-BP-001-003

ROTOR / PADS

ATTENZIONE: HYPER PADS SONO utilizzabili solamente con gli HYPER ROTOR 203/220.

WARNING: HYPER PADS can only be used with HYPER ROTOR 203/220.



HYPER CARBON-CERAMIC PADS

MANUFACTURER NUMBER	02-BP-003-001
INSTALLATION	hydraulic 4-piston disc brake system
COMPOUND	carbon ceramic
DESIGNED FOR	SRAM GUIDE, CODE, MOTIVE, DB8
PADS DIMENSION	40 mm X 30 mm
THICKNESS	4 mm

AVAILABLE IN VERSIONS:


HYPER PERFORMANCE PADS
HYPER RACING PADS

02-BP-003-002
02-BP-001-003

ROTOR / PADS

ATTENZIONE: HYPER PADS SONO utilizzabili solamente con gli HYPER ROTOR 203/220.

WARNING: HYPER PADS can only be used with HYPER ROTOR 203/220.



HYPER CARBON-CERAMIC PADS

MANUFACTURER NUMBER	02-BP-005-001
INSTALLATION	hydraulic 4-piston disc brake system
COMPOUND	carbon ceramic
DESIGNED FOR	FORMULA CURA 4
PADS DIMENSION	44 mm X 28 mm
THICKNESS	4 mm

AVAILABLE IN VERSIONS:


HYPER PERFORMANCE PADS
HYPER RACING PADS

02-BP-005-002
02-BP-005-003

ROTOR / PADS

ATTENZIONE: HYPER PADS SONO utilizzabili solamente con gli HYPER ROTOR 160/180.

WARNING: HYPER PADS can only be used with HYPER ROTOR 160/180.



HYPER CARBON-CERAMIC PADS

MANUFACTURER NUMBER

02-BP-002-001

INSTALLATION

hydraulic 2-piston disc brake system

COMPOUND

carbon ceramic

DESIGNED FOR

SHIMANO Deore BR-M575, M525, M515, T615, LX
BR-T675

TRP Hylex, Dash Sport

TEKTRO Auriga HD-M290/M291, HD-T525, HD-E530,
HD-E525, HD-E520, HD-E500

AVAILABLE IN VERSIONS:

HYPER PERFORMANCE PADS

02-BP-002-002

HYPER RACING PADS


02-BP-002-003

SLIM

ROTOR / PADS

ATTENZIONE: HYPER PADS SONO utilizzabili solamente con gli HYPER ROTOR 160/180.

WARNING: HYPER PADS can only be used with HYPER ROTOR 160/180.



HYPER CARBON-CERAMIC PADS

MANUFACTURER NUMBER

02-BP-008-001

INSTALLATION

hydraulic 4-piston disc brake system

COMPOUND

carbon ceramic

DESIGNED FOR

SHIMANO Deore, XT, SAINT, SLX
TEKTRO HD Series
TRP Quadiem, SL, Slate T4, DH-R EVO

PADS DIMENSION

44 mm X 28 mm

THICKNESS

4 mm

AVAILABLE IN VERSIONS:

HYPER PERFORMANCE PADS

02-BP-008-002

HYPER RACING PADS

02-BP-008-003

Catalog 2025



ROTOR

Catalog **HYPER** 2025**02-BD-001-001****HYPER BRAKE ROTOR 220****INSTALLATION:** Front hydraulic 4-piston disc brake system

COMPATIBILITY: SHIMANO: DEORE, SLX, XT, SAINT
 SRAM: GUIDE, CODE, MOTIVE, DB8
 FORMULA CURA 4
 TEKTRO: HD Series
 TRP: Quadiem, SL, Slate T4, DH-R EVO

CONTENTS: 1 x 02-BD-001-001 HYPER DISC 220
 6 x 02-DS-001-001 HYPER fixing screws

ROTOR DIAMETER: 220mm**THICKNESS:** 2,3 mm**WEIGHT:** 285 gr**MATERIAL:** stainless steel AISI420**RETAIL PRICE:** € 99,00**02-BD-002-001****HYPER BRAKE ROTOR 203****INSTALLATION:** Front hydraulic 4-piston disc brake system

COMPATIBILITY: SHIMANO: DEORE, SLX, XT, SAINT
 SRAM: GUIDE, CODE, MOTIVE, DB8
 FORMULA CURA 4
 TEKTRO: HD Series
 TRP: Quadiem, SL, Slate T4, DH-R EVO

CONTENTS: 1 x 02-BD-001-001 HYPER DISC 220
 6 x 02-DS-001-001 HYPER fixing screws

ROTOR DIAMETER: 203mm**THICKNESS:** 2,3 mm**WEIGHT:** 230 gr**MATERIAL:** stainless steel AISI420**RETAIL PRICE:** € 99,00



02-BD-003-001

HYPER BRAKE ROTOR 180

INSTALLATION: Hydraulic 2-piston and 4-piston disc brake system

COMPATIBILITY: 2-pistons:
SHIMANO: Deore BR-M575, M525, M515, T615, LX BR-T675
TRP: Hylex, Dash Sport
TEKTRO: Auriga HD-M290/M291, HD-T525, HD-E530, HD-E525, HD-E520, HD-E500

4-pistons:
SHIMANO: Deore, XT, SAINT, SLX
TEKTRO HD Series
TRP: Quadiem, SL, Slate T4, DH-R EV

CONTENTS: 1 x 02-BD-003-001 HYPER DISC 220
6 x 02-DS-001-001 HYPER fixing screws

ROTOR DIAMETER: 180 mm
THICKNESS: 2,1 mm
WEIGHT: 175 gr

MATERIAL: stainless steel AISI420

RETAIL PRICE: € 75,00



02-BD-005-001

HYPER BRAKE ROTOR 160

INSTALLATION: Hydraulic 2

COMPATIBILITY: 2-pistons:
SHIMANO: Deore BR-M575, M525, M515, T615, LX BR-T675
TRP: Hylex, Dash Sport
TEKTRO: Auriga HD-M290/M291, HD-T525, HD-E530, HD-E525, HD-E520, HD-E500

4-pistons:
SHIMANO: Deore, XT, SAINT, SLX
TEKTRO HD Series
TRP: Quadiem, SL, Slate T4, DH-R EV

CONTENTS: 1 x 02-BD-005-001 HYPER DISC 220
6 x 02-DS-001-001 HYPER fixing screws

ROTOR DIAMETER: 160 mm
THICKNESS: 2,1 mm
WEIGHT: 145 gr

MATERIAL: stainless steel AISI420

RETAIL PRICE: € 75,00

PADS

Catalog **HYPER** 2025**02-BP-001-001****HYPER SPORT PAD****INSTALLATION:** Front and rear hydraulic 4-piston calipers**COMPOUND:** GREEN

DESIGNED FOR: SHIMANO DEORE, SLX, XT, SAINT
 TRP: Hylex, Dash Sport
 TEKTRO: Auriga HD-M290/M291,
 HD-T525, HD-E530, HD-E525, HD-E520,
 HD-E500

CONTENTS: 2 x 02-BP-001-001 HYPER carbon-ceramic
 1 x 02-BP-004-001 spreader spring

TRACK: 20 mm**WEIGHT:** 36 gr**MATERIAL:** stainless steel**RETAIL PRICE:** € 29,00**SOON AVAILABLE****02-BP-001-002****HYPER PERFORMANCE PAD****INSTALLATION:** Front and rear hydraulic 4-piston calipers**COMPOUND:** RED

DESIGNED FOR: SHIMANO DEORE, SLX, XT, SAINT
 TRP: Hylex, Dash Sport
 TEKTRO: Auriga HD-M290/M291,
 HD-T525, HD-E530, HD-E525, HD-E520,
 HD-E500

CONTENTS: 2 x 02-BP-001-002 HYPER carbon-ceramic
 1 x 02-BP-004-001 spreader spring

TRACK: 20 mm**WEIGHT:** 36 gr**MATERIAL:** stainless steel**RETAIL PRICE:** € 29,00**SOON AVAILABLE****02-BP-001-003****HYPER RACING PAD****INSTALLATION:** Front and rear hydraulic 4-piston calipers**COMPOUND:** BLACK

DESIGNED FOR: SHIMANO DEORE, SLX, XT, SAINT
 TRP: Hylex, Dash Sport
 TEKTRO: Auriga HD-M290/M291,
 HD-T525, HD-E530, HD-E525, HD-E520,
 HD-E500

CONTENTS: 2 x 02-BP-001-003 HYPER carbon-ceramic
 1 x 02-BP-004-001 spreader spring

TRACK: 20 mm**WEIGHT:** 36 gr**MATERIAL:** stainless steel**RETAIL PRICE:** € 35,00

SOON AVAILABLE**02-BP-003-001****HYPER SPORT PAD X SRAM**

INSTALLATION: Front and rear hydraulic 4-piston disc brake system

COMPOUND: GREEN

DESIGNED FOR: SRAM GUIDE, CODE, MOTIVE, DB8

CONTENTS: 2 x 02-BP-003-001 HYPER carbon-ceramic
1 x 02-BP-004-001 spreader spring

TRACK: 18,5 mm

WEIGHT: 38 gr

MATERIAL: stainless steel

RETAIL PRICE: € 29,00

SOON AVAILABLE**02-BP-003-002****HYPER PERFORMANCE PAD X SRAM**

INSTALLATION: Front and rear hydraulic 4-piston disc brake system

COMPOUND: RED

DESIGNED FOR: SRAM GUIDE, CODE, MOTIVE, DB8

CONTENTS: 2 x 02-BP-003-002 HYPER carbon-ceramic
1 x 02-BP-004-001 spreader spring

TRACK: 18,5 mm

WEIGHT: 38 gr

MATERIAL: stainless steel

RETAIL PRICE: € 29,00

SOON AVAILABLE**02-BP-003-003****HYPER RACING PAD X SRAM**

INSTALLATION: Front and rear hydraulic 4-piston disc brake system

COMPOUND: BLACK

DESIGNED FOR: SRAM GUIDE, CODE, MOTIVE, DB8

CONTENTS: 2 x 02-BP-003-003 HYPER carbon-ceramic
1 x 02-BP-004-001 spreader spring

TRACK: 18,5 mm

WEIGHT: 38 gr

MATERIAL: stainless steel

RETAIL PRICE: € 35,00

PADS

Catalog **HYPER** 2025**SOON AVAILABLE****02-BP-005-001****HYPER SPORT PAD X FORMULA****INSTALLATION:** Front and rear hydraulic 4-piston calipers**COMPOUND:** GREEN**DESIGNED FOR:** FORMULA CURA 4**CONTENTS:** 2 x 02-BP-003-001 HYPER carbon-ceramic
1 x 02-BP-004-001 spreader spring**TRACK:** 19 mm**WEIGHT:** 38 gr**MATERIAL:** stainless steel**RETAIL PRICE:** € 29,00**SOON AVAILABLE****02-BP-005-002****HYPER PERFORMANCE PAD X FORMULA****INSTALLATION:** Front and rear hydraulic 4-piston calipers**COMPOUND:** RED**DESIGNED FOR:** FORMULA CURA 4**CONTENTS:** 2 x 02-BP-003-001 HYPER carbon-ceramic
1 x 02-BP-004-001 spreader spring**TRACK:** 19 mm**WEIGHT:** 38 gr**MATERIAL:** stainless steel**RETAIL PRICE:** € 29,00**SOON AVAILABLE****02-BP-005-003****HYPER RACING PAD X FORMULA****INSTALLATION:** Front and rear hydraulic 4-piston calipers**COMPOUND:** BLACK**DESIGNED FOR:** FORMULA CURA 4**CONTENTS:** 2 x 02-BP-003-001 HYPER carbon-ceramic
1 x 02-BP-004-001 spreader spring**TRACK:** 19 mm**WEIGHT:** 38 gr**MATERIAL:** stainless steel**RETAIL PRICE:** € 35,00

SOON AVAILABLE**02-BP-002-001****HYPER SPORT PAD**

INSTALLATION: Front and rear hydraulic 2-piston disc brake system

COMPOUND: GREEN

DESIGNED FOR: SHIMANO: Deore BR-M575, M525, M515, T615, LX BR-T675
TRP: Hylex, Dash Sport
TEKTRO: Auriga HD-M290/M291, HD-T525, HD-E530, HD-E525, HD-E520, HD-E500

CONTENTS: 2 x 02-BP-002-001 HYPER carbon-ceramic
1 x 02-BP-004-001 spreader spring

TRACK:

WEIGHT:

MATERIAL: stainless steel

RETAIL PRICE: € 24,90

**02-BP-002-002****HYPER PERFORMANCE PAD**

INSTALLATION: Front and rear hydraulic 2-piston disc brake system

COMPOUND: GREEN

DESIGNED FOR: SHIMANO: Deore BR-M575, M525, M515, T615, LX BR-T675
TRP: Hylex, Dash Sport
TEKTRO: Auriga HD-M290/M291, HD-T525, HD-E530, HD-E525, HD-E520, HD-E500

CONTENTS: 2 x 02-BP-002-002 HYPER carbon-ceramic
1 x 02-BP-004-001 spreader spring

TRACK:

WEIGHT:

MATERIAL: stainless steel

RETAIL PRICE: € 24,90

**02-BP-002-003****HYPER RACING PAD**

INSTALLATION: Front and rear hydraulic 2-piston disc brake system

COMPOUND: GREEN

DESIGNED FOR: SHIMANO: Deore BR-M575, M525, M515, T615, LX BR-T675
TRP: Hylex, Dash Sport
TEKTRO: Auriga HD-M290/M291, HD-T525, HD-E530, HD-E525, HD-E520, HD-E500

CONTENTS: 2 x 02-BP-002-003 HYPER carbon-ceramic
1 x 02-BP-004-001 spreader spring

TRACK:

WEIGHT:

MATERIAL: stainless steel

RETAIL PRICE: € 29,00



02-BP-008-001
HYPER SPORT PAD

INSTALLATION: Front and rear hydraulic 4-piston calipers

COMPOUND: GREEN

DESIGNED FOR: SHIMANO: Deore, XT, SAINT, SLX
TEKTRO: HD Series
TRP: Quadiem, SL, Slate T4, DH-R EVO

CONTENTS: 2 x 02-BP-008-001 HYPER carbon-ceramic
1 x 02-BP-004-001 spreader spring

TRACK:
WEIGHT:

MATERIAL: stainless steel

RETAIL PRICE: € 29,00

SOON AVAILABLE



02-BP-008-002
HYPER PERFORMANCE PAD

INSTALLATION: Front and rear hydraulic 4-piston calipers

COMPOUND: RED

DESIGNED FOR: SHIMANO: Deore, XT, SAINT, SLX
TEKTRO: HD Series
TRP: Quadiem, SL, Slate T4, DH-R EVO

CONTENTS: 2 x 02-BP-008-002 HYPER carbon-ceramic
1 x 02-BP-004-001 spreader spring

TRACK:
WEIGHT:

MATERIAL: stainless steel

RETAIL PRICE: € 29,00

SOON AVAILABLE



02-BP-008-003
HYPER RACING PAD

INSTALLATION: Front and rear hydraulic 4-piston calipers

COMPOUND: BLACK

DESIGNED FOR: SHIMANO: Deore, XT, SAINT, SLX
TEKTRO: HD Series
TRP: Quadiem, SL, Slate T4, DH-R EVO

CONTENTS: 2 x 02-BP-008-003 HYPER carbon-ceramic
1 x 02-BP-004-001 spreader spring

TRACK:
WEIGHT:

MATERIAL: stainless steel

RETAIL PRICE: € 35,00

**02-DS-001-001****HYPER M5x10 ROTOR SCREW**

INSTALLATION: Front and rear HYPER braking rotor

CONTENTS: 6 x 02-DS-001-001 fixing screw

DIMENSIONS: M5x10mm

RETAIL PRICE: € 24,90

02-DS-001-001**HYPER M5x10 ROTOR SCREW**

INSTALLATION: Front and rear HYPER braking rotor

CONTENTS: 6 x 02-DS-001-001 fixing screw

DIMENSIONS M5x10mm

RETAIL PRICE: € 10,00

DEALER PRICE: € 5,74 + VAT

**H
Y
P
E
R**

VENTIVENTI




HYPER INFO

Martin E-Bike srl
Via G. Rossa ,39 - 35020 Ponte San Nicolò PD
PI CF : 04476600244